## INDEX

Synonyms are printed in italics; new names in bold-face type

ABBE, E. C., CHESTER, K. S. and VES-	Aconitum volubile flexuosum, 12
TAL, P. A., Studies on the precipitin	—— var., 12
reaction in plants. V. Application to	Actaea spicata erythrocarpa, 10
plant relationships, 394	Actinophloeus linearis, 62
Acalypha Mairei, 234	- microcarpus, 62
Acer and Staphylea, Chromosome num-	Additional notes on the orchids of the
ber in, 386, pl. 81	New Hebrides and Santa Cruz
Acer sect. Macrantha, 211	Islands, 101
— Cavaleriei, 213	Adenophora gracilis, 36
— Davidi, 213, 346, fig.	— liliifolioides, 36
— glabrescens, 213, 219	— marsupiiflora, 36
—— gravrescens, 213, 219  —— horizontale, 213	— Potanini, 36
	— Smithii, 36
—— horizontale, 219	— sp., 36
——tomentellum, 213	Adenostemma viscosum, 67
—— trilobata, 221	Adiantum latedeltoideum, 2
— Forrestii, 216, fig.	— monochlamys latedeltoideum, 2
—— caudatilobum, 217, fig.	— pedatum, 2
— Grosseri, 219, fig.	Agapetes stenantha, 350, pl. 74
—— Hersii, 220, fig.	Agave and Yucca, Taxonomic and cyto-
— Hersii, 219, 220	logical relationships of, 76, pl. 55
— laxiflorum, 214, fig.	Agnostophyllum superpositum, 66
——longiphyllum, 215	Agropyron longearistatum, 4
- laxiflorum, 216	Ailanthus Esquirolii, 227
—— integrifolium, 213	Aira caespitosa, 3
—— longilobum, 215	Ajuga calantha, 30
— ningpoense, 347 — Maximowiczii, 217, fig.	— albiflora, 30
	— lupulina, 30
— Metcalfii, 221, fig.	Alangium vitiense, 57
- Pavolinii, 219	Alchornea Mairei, 234
— sikkimense serrulatum, 346	- Vanioti, 232
— taronense, 215, fig.	Alectryon ferrugineus, 63
-urophyllum, 217	— reticulatus, 63
- sp., 220 Aceratorchis tschiliensis, 7	Aleurites moluccana, 60
	Allium chrysanthum, 5
Achillea Ptarmica, 38	— cyaneum, 5
Aconitum Anthora, 12	— Henryi, 5
—— anthoroideum, 12	- kansuense, 5
— gymnandrum, 12	— monadelphum thibeticum, 5
— laeve, 12 — Napellus semigaleatum, 12	— polyrhizum, 5
— rotundifolium tanguticum, 12	— Przewalskianum, 5
— rotundironum tanguticum, 12 — volubile, 12	— tanguticum, 6
- voidblie, 12	

Allium victorialis, 6

-sp., 6

Allophylus micrococcus, 63

Alocasia lancifolia, 65

Alphitonia moluccana, 65

- zizyphoides, 65

Alpinia novae-pommeraniae, 66

AMES, OAKES, Additional notes on the orchids of the New Hebrides and

Santa Cruz Islands, 101

Amitostigma monanthum, 8

Amnesia longibracteata, 8

Ampelopsis aconitifolia cuneata, 349

—— glabra, 349

-- setulosa, 349

—— tomentella, 349

- Delavayana, 349

Anaphalis Hancockii, 38

- lactea, 38

- margaritacea, 38

-sp., 38

Anderson, Edgar, Variation in flower color in Hamamelis vernalis, 253, fig.

Andrachne attenuata, 229

— Bodinieri, 229

— Esquirolii, 229

- hypoglauca, 229

- persicariifolia, 229

Androsace Mariae tibetica, 27

- tapete, 27

- yargongensis, 28

Aneilema sp., 65

Anemone demissa, 12

— imbricata, 12

- japonica tomentosa, 12

- narcissiflora, 12

- rivularis, 12

- Rockii, 12

- rupestris, 13

- vitifolia tomentosa, 13

Anisodus sp., 32

Anoectochilus sp., 103

Anoplocaryum Rockii, 30

Antidesma microphyllum, 232

- Seguini, 232

Appendicula cleistogama, 66

Aquilegia ecalcarata, 10

- oxysepala, 10

Arabis alaschanica, 17

Arabis glandulosa, 17

Aralia Labordei, 226

Areca (Balanocarpus) nannospadix, 62

Arenaria kansuensis, 9

- melanandra, 9

- Przewalskii, 9

-sp., 9

Arisaema consanguineum latisectum, 5

Arnold Arboretuum, An enumeration of the herbaceous plants collected by

J. F. Rock for the, 1

Arnold Arboretum, Bibliography of the published writings of the staff and students of the, July 1, 1932—June

30, 1933, 420

Arnold Arboretum during the fiscal year ended June 30, 1933, The, 408

Arnold Arboretum, List of seeds of ligneous and herbaceous plants collected in 1925 and 1926 by J. F. Rock and distributed by the, 43

Arnold Arboretum, New species, varieties and combinations from the herbarium and the collections of the, 199, 345, pl. 74, figs.

Arnold Arboretum, 1933-34, Staff of

the, 425

Artemisia biennis, 39

-laciniata, 39

- salsoloides, 39

- Sieversiana, 39

- sp., 39

Aruncus sylvester, 20

Asparagus brachyphyllus, 6

- trichophyllus, 6

Asperula odorata, 35

Aspidopterys Cavaleriei, 228

- Dunniana, 228

- Esquirolii, 228

- hypoglauca, 252

Asplenium varians, 2

Aster Bowerii, 37

— flaccidus, 37

Fordii 27

— Fordii, 37

- Heterochaeta, 37

- hispidus, 37

- tongolensis, 37

- trinervius, 37

- Vilmorini, 37

Aster sp., 37

Astragalus melilotoides, 21

- monadelphus, 21

-skythropus, 21

-subumbellatus, 21

-tanguticus, 21

— sp., 21

Athyrium acrostichoides, 2

-filix femina, 2

--- cyclosorum, 2

- spinulosum, 2

Baccaurea Cavaleriei, 231

- Esquirolii, 234

-sp., 60

Bailey, I. W., The cambium and its derivative tissues. No. VIII. Structure, distribution and diagnostic significance of vestured pits in dicotyledons, 259, pl. 61-63, figs.

Banksian Pine in northwestern Canada, Notes on the distribution of White Spruce and, 335, pl. 72, 73

Beckmannia erucaeformis, 4

Begonia sp., 66

Berberis Cavaleriei, 250

- Esquirolii, 251

Betula Jackii, The comparative anatomy of the stems of Betula pumila, Betula lenta and the hybrid, 351

Betula lenta, and the hybrid Betula Jackii, The comparative anatomy of the stems of Betula pumila, 351

Betula pumila, Betula lenta, and the hybrid Betula Jackii, The comparative anatomy of the stems of, 351

Bibliography of the published writings of the staff and students of the Arnold Arboretum, July 1, 1932—June 30, 1933, 420

Biebersteinia heterostemon, 22

Blumea Lessingii, 67

- pubigera, 67

Bocconia sp., 14, 426

Bodiniera thalictrifolia, 225

Boenninghausenia albiflora, 225

—— brevipes, 225

- brevipes, 226

- sessilicarpa, 226

Brass, L. J., A supplement to C. T.

White, Ligneous plants collected in the territory of Papua (British New Guinea) in 1925-26 by, 62

Brass, L. J., Appendix, list of herbaceous plants collected in New Guinea by, 65

Brassica juncea, 16

Bupleurum longeradiatum, 23

- microcephalum, 23

- sp., 23

Buxus Bodinieri, 236

- cephalantha, 237

- Harlandi cephalantha, 237

- megistophylla, 236

- microphylla aemulans, 236

- Myrica, 236

- sempervirens microphylla, 237

Cacalia deltophylla, 39

-Potanini, 39

- sp., 39

Calamus nannostachys, 62

Callicarpa Cavaleriei, 239

Calonyction bona-nox, 67

Calophaca sinica, 210

Caltha palustris, 10

- scaposa Smithii, 10

Calycanthus, Chromosome behavior in, 279, figs.

Cambium and its derivative tissues. No. VIII, Structure, distribution, and diagnostic significance of vestured pits in dicotyledons, 259, pl. 61-63, figs.

Campsis, Species hybrids in Platanus and, 274, figs.

Canarium aneityense, 54

Capparis artensis, 53

- subacuta, 53

- sp., 53

Cardamine lanceolata leiocarpa, 16

- macrophylla, 16

-- polyphylla, 16

- tangutorum, 16

Carduus euosmos, 42

Carex atrata aterrima, 5

—— pullata, 5

- atrofusca, 5

Carpesium Lipskyi, 38

Carum carvi, 24

Cavaleriella cordata, 228, 426

Celastrus Bodinieri, 240

- Cavaleriei, 250

- clemacanthus, 250

- flagellaris, 250

- gemmata, 250

- Hindsii Henryi, 250

- salicifolia, 242

- spiciformis, 249

- stylosa, 250

- suaveolens, 239

- Vanioti, 249

Celtis Rockii, 199

Ceratophyllum demersum, 66

-sp., 66

Cheilanthes argentea, 2

Cheiranthus roseus, 17

—— caespitosus, 17

-- elatior, 17

CHESTER, K. S., ABBE, E. C. and VESTAL, P. A., Studies on the precipitin reaction in plants. V. Application to plant relationships, 394

CHESTER, KENNETH S. and WHITAKER, THOMAS W., Studies on the precipitin reaction in plants. III. A biochemical analysis of the normal precipitin reaction, 118, figs.

Chickrassia tabularis, 227, 426

Chromosome behavior in Calycanthus, 274, figs.

Chromosome complement of Cyphomandra betacea, 113, figs.

Chromosome number and morphology in the Conifers, 356, pl. 75-79, figs.

Chromosome number and relationship in the Magnoliales, 376, pl. 80, figs.

Chromosome number in Acer and Staphylea, 386, pl. 81

Chromosome numbers in Ulmus and related genera, 82, pl. 56

Chrysanthemum fruticulosum, 38

- indicum, 38

- tatsienense, 39

Chrysoglossum aneityumense, 105

Chrysosplenium nudicaule, 19

- sphaerospermum, 19

Chukrasia tabularis, 426

Cipadessa baccifera sinensis, 227

Cipadessa cinerascens, 426

Cirsium arvense, 42

- setosum, 42

- Souliei, 42

- sp., 42

Citrus Cavaleriei, 227

- ichangensis, 227

Cladonia gracilis elongata, 1

Clausena Dunniana, 226

- Esquirolii, 226

- Willdenowii, 226

Clematis Cavaleriei, 200

- chinensis, 200

-funebris, 200

- grata likiangensis, 201

- minor, 200

- oligocarpa, 200

- recta chinensis, 200

- sinensis, 200

Clintonia udensis, 6

Cnicus Souliei, 42

Cochlearia scapiflora, 16

Codonopsis ovata, 36

- viridiflora, 36

Coleus scutellarioides, 67

Coluria longifolia, 20

Comparative anatomy of the stems of Betula pumila, Betula lenta, and the hybrid Betula Jackii, 351

Conifers, Chromosome number and morphology in the, 356, pl. 75-79, figs.

Conocephalus sp., 62

Contribution to the flora of the New Hebrides, plants collected by S. F. Kajewski in 1928 and 1929; Supplement, 53

Convolvulus Ammannii, 29

- arvensis sagittifolius, 29

Coriaria sinica, 237

Cortusa Matthioli, 28

Corybas mirabilis, 102

Corydalis adunca, 15

- curviflora, 15

-- cytisiflora, 15

-- pseudo-Smithii, 15

-- Smithii, 15

- dasyptera, 15

- glycyphyllos, 15

Corydalis linarioides, 15

- melanochlora, 15

- Rheinbabeniana, 15

- scaberula, 15

- straminea, 15

- stricta, 15

- trachycarpa, 16

-sp., 16

Corysanthes mirabilis, 102

Costus speciosus, 66

Cousins, Sarah M., The comparative anatomy of the stems of Betula pumila, Betula lenta, and the hybrid Betula Jackii, 351

Cremanthodium bupleurifolium, 40

— Decaisnei, 40

- discoideum, 41

-humile, 41

— Limprichtii, 41

-lineare, 41

- plantagineum, 41

-sp., 41

Crepis Hookeriana, 43

— paleacea, 43

- rosularis, 43

— trichocarpa, 43

- sp., 43

Crinum macranthum, 66 Croton Tiglium, 232

Cryptocarya tannaensis, 59 Cupaniopsis aneityensis, 56

-sp., 64

Curcuma longa, 66

Cyananthus Hookeri hispida, 37

Cyclophorus pekinensis, 3

— sticticus, 3

— taeniodes, 3

Cynanchum inamoenum, 29

Cyphomandra betacea, The chromosome complement of, 113, figs.

Cypripedium luteum, 7

- nutans, 7

— tibeticum, 7

Cyrtandra bracteata, 67

- sp., 67

Cyrtosperma Merkusii, 65 Cystopteris montana, 1

Cystopus aneytyumensis, 103

— fimbriatus, 103

Cytological Laboratory, The Arnold Arboretum during the fiscal year

ended June 30, 1933, 411

Daphniphyllum macropodum, 234

Deeringia amaranthoides, 66 Delphinium albocoeruleum, 10

- coelestinum, 11

- densiflorum, 11

- Forrestii, 11

- grandiflorum, 11

- Henryi, 11

- labrangense, 11

- Maximowiczii, 11

- Pylzowi, 11

- Souliei, 11

- sparsiflorum, 11

- tanguticum, 11

- tatsienense, 11

-tongolense, 11

Dendrobium calcaratum, 106

- Fairfaxii, 107

- Gnomus, 106

- Mohlianum, 107

- Mooreanum, 107

- Morrisonii, 109

- neo-ebudanum, 107

- occultum, 108

- purpureum, 109

- Quaifei, 109

- Quaifei, 109

- ruginosum, 109

DERMEN, HAIG, Origin and behavior of the nucleolus in plants, 282, pl. 64-67

Deutzia Chaffanjoni, 202

- Esquirolii, 202

- Esquirolii, 202

- lancifolia, 202

Dianella ensifolia, 65

Dianthus chinensis, 9

- superbus, 10

Dichapetalum missionum, 55

— validum, 55

-sp., 55

Dicranostigma sp., 14

Dilophia fontana, 16

- macrosperma, 16

Dioscorea bulbifera, 66

- quinqueloba, 7

— tiliifolia, 66

Diospyros Bodinieri, 242

Discocleidion rufescens, 234

Doak, K. D. and Hatch, A. B., My-corrhizal and other features of the root systems of Pinus, 85, pl. 57-60, figs.

Dodonaea viscosa, 64

Dolicholobium aneityense, 58

Donax canniformis, 66

Dontostemon glandulosus, 17

Doronicum stenoglossum, 39

- thibetanum, 39

Draba lanceolata latifolia, 16

- lichiangensis, 16

- oreades chinensis, 17

-- commutata, 17

-- racemosa, 17

-- Tafelii, 17

- Rockii, 17

Dracocephalum heterophyllum, 31

— imberbe, 31

- tanguticum, 31

Dracontomelum vitiense, 57

- vitiense, 57

Dryopteris filix mas khasiana, 2

— paleacea khasiana, 2

- Robertiana, 2

Dysophylla auricularia, 67 Dysoxylon Esquirolii, 227 Echinocarpus Cavaleriei, 247

- erythrocarpa, 246

- Esquirolii, 247

- hederaerhiza, 246

Echinops Turczaninowii, 41

Eclipta alba, 67 Elaeocarpus sp., 54

Elattostachys tetraporandra, 64

- vitiensis, 56

- sp., 64

Elsholtzia densa, 31

Elymus sibiricus, 4 Embelia Cavaleriei, 240

- Esquirolii, 250

- rubro-violacea, 239

Enumeration of the herbaceous plants collected by J. F. Rock for the

Arnold Arboretum, An, 1 Epilobium angustifolium, 23

Ephobium angustmonum, 25

Epimedium brevicornu, 14, 426

Epimedium pubescens, 14, 426

Epipogon roseum, 102

Equisetum arvense, 3

-sp., 3

Erigeron acris, 37

Eriophorum comosum, 4 Eritrichium strictum, 30

Eruca sativa lativalvis, 16

Erythrospermum Cavaleriei, 250

Eugenia sp., 57

Eulophia macrostachya, 111

Euphorbia sp., 23 Euphrasia hirtella, 32

Euphrasia infitem

— tatarica, 32 Eurotia ceratoides, 9

Eurya japonica, 54

Eutrema compactum, 16

Evodia odorata, 224

Evonymus acanthocarpa, 246

- acanthocarpa, 246

- aculeata, 246

- alata, 249

- bicolor, 245

- Blinii, 243, 244, 246, 247

- Bodinieri, 248

- Cavaleriei, 245, 247

- centidens, 244

- coreanus, 248

- Crosnieri, 246

— Darrisii, 248

— Dielsiana, 245

— Dielsiana latifolia, 245

— disticha, 249

- erythrocarpa, 246

— Esquirolii, 244

— Feddei, 245

— Forbesiana, 246

— grandiflora, 242

- Hamiltoniana, 248

- hypoleucus, 233

- lanceifolia, 248

- Leclerei, 244

- Maackii, 248

— Maackii, 248

— Mairei, 243

- proteus, 245

- Rehderiana, 245

-rugosa, 248

Evonymus subtrinervis, 247

- theaefolia, 244

- uniflora, 243

-Vanioti, 246

- yunnanensis, 243

- yunnanensis, 251

Fagara gigantea, 224

Festuca ovina, 4

Ficus aechmophylla, 62

- Brassii, 62

- clusiaefolia, 62

— Decaisneana, 62

- skytinodermis, 62

Flacourtia sp., 53

Forrestia hispida, 65

FOSTER, ROBERT C., Chromosome number in Acer and Staphylea, 386, pl. 81

Fragaria elatior, 20

Fritillaria cirrhosa ecirrhosa, 6

- Roylei, 6

Gagea pauciflora, 5

Galeopsis Tetrahit, 31

Galium boreale, 35

- verum, 35

-sp., 35

Garcinia sp., 54

Gentiana algida forma, 28

— dahurica, 28

- Farreri, 28

- Futtereri, 28

— gracilipes, 28

-hexaphylla, 28

—— caudata, 28

- leucomelaena, 28

- Piasezkii, 426

- Przewalskii, 28

- quinquenervia, 28

- riparia, 29

-siphonantha, 29

- spathulifolia, 29

- straminea, 29

- striata, 29

- Szechenyii, 29

— tetraphylla, 29

Gentianella sp., 29

Geranium eriostemon, 22

— Pylzowianum, 22

-sp., 22

Glaux maritima, 28

Glochidion Bodinieri, 231

- Esquirolii, 231

- manono, 60

- puberum, 231

- Vanioti, 225

- villicaule, 231

-sp., 60

Glomera Macdona dii, 111

Glossorrhyncha Macdonaldii, 111

Glycosmis Esquiroli, 226

Goodyera triandra, 103

Gueldenstaedtia diversifolia, 21

Guillaumin, A., Contribution to the flora of the New Hebrides, plants collected by S. F. Kajewski in 1928

and 1929; Supplement, 53

Guioa aryterifolia, 64

- rigidiuscula, 63

- sp., 64

Gymnogramma Deluvayi, 2

Gymnopteris Delavayi, 2

Gymnosporia acuminata, 251

- Esquirolii, 250

Gypsophila Gmelini, 9

Gyrocarpus americanus, 57

Habenaria conopsea 8

- cucullata, 8

- physoplectra, 101

- ponerostachys, 102

- spiranthiformis, 8

- stenodon, 102

Hamamelis vernalis, Variation in flower

color in, 253, fig. Harpullia arborea, !6

- camptoneura, 64

- cupanioides, 64

HATCH, A. B. and DOAK, K. D., My-corrhizal and other features of the root systems of Finus, 85, pl. 57-60,

figs.

HATCH, A. B. and HATCH, C. TALBOTT, Some Hymenomycetes forming mycorrhizae with Pinus Strobus L., 324,

pl. 68-71

Hedysarum esculentum, 21

- obscurum, 21

- pseudastragalus, 21

- sp., 22

Helleborus thibetanus, 10

Hemerocallis Dumortieri, 5

Heracleum millefolium, 25

-- longilobum, 25

Herbaceous plants collected in New Guinea by L. J. Brass, List of, 65

Herbarium, The Arnold Arboretum during the fiscal year ended June 30, 1933, 412

Herminium tanguticum, 8

Hololachne songarica, 23

Humulus lupulus, 8

Hydrangea paniculata, 202

- Schindleri, 202

- umbellata, 202

Hymenomycetes forming mycorrhizae with Pinus Strobus L., Some, 324, pl. 68-71

Hypecoum erectum lactiflorum, 14

Hypericum Przewalskii, 23

- sp., 23

Ilex corallina, 241

—— Loeseneri, 242

— Dunniana, 241

- Fargesii Bodinieri, 240

- ficoidea, 345

- macrocarpa, 242

- metabaptista, 240

- metabaptista myrsinoides, 240

- peduncularis, 55

- pedunculosa continentalis, 240

- purpurea, 239

-- Leveilleana, 240

- suaveolens, 239

-sp., 55

Ilysanthes veronicifolia, 67

Impatiens Hawkeri, 66

Incarvillea compacta, 35

- principis, 35

- sinensis, 35

Inheritance in an oak species hybrid, 68, figs.

Inula ammophila, 38

Ipomoea denticulata, 67

-sp., 67

Iris dichotoma, 7

— ensata, 7

-gracilis, 7

-Potanini, 7

- tenuifolia, 7

Iris sp., 7

Jacquemontia paniculata, 67

Juncus leucomelas, 5

- Thomsoni, 5

Kajewski, S. F., Contribution to the flora of the New Hebrides, plants collected by, in 1928 and 1929, supplement, 53

Kleinhovia hospita, 54

Kobresia kansuensis, 4

- Prattii, 4

KOBUSKI, CLARENCE E. and REHDER, ALFRED, An enumeration of the herbaceous plants collected by J. F. Rock for the Arnold Arboretum, 1

— List of seeds of ligneous and herbaceous plants collected in 1925 and 1926 by J. F. Rock and distributed by the Arnold Arboretum, 43

Koeleria cristata, 4

Lactuca Souliei, 43

- sp., 43

Lagotis brachystachya, 32

- brevituba, 32

— glauca, 32

Lappula Redowskii, 30

Lathyrus pratensis, 22

Leontice robusta, 14

Leontopodium calocephalum, 37

— conglobatum × leontopodioides, 38,

426

— Dedekensii, 38

- haplophylloides, 38

- Jacotianum, 38

- leontopodioides × conglobatum, 38,

426

- linearifolium, 38

-nanum, 38

- Smithianum, 38

Lepidopetalum hebecladum, 64

Leucosyke corymbulosa, 61

Léveillé, Notes on the ligneous plants from eastern Asia, described by, 223

Library, The Arnold Arboretum during the fiscal year ended June 30, 1933, 415

Ligularia altaica, 40

- plantaginifolia, 40

- Przewalskii, 40

Ligularia sagitta, 40

— sibirica speciosa, 40

— tangutica, 40

- virgaurea, 40

- yesoensis sutchuensis, 40

-sp., 40

Ligusticum Pilgerianum, 25

— Pilgerianum, 25

- sinense, 25

- Weberbauerianum, 25

Ligustrum neo-ebudicum, 58

Lilium Davidi, 6

- Duchartrei, 6

-- Farreri, 6

- tenuifolium, 6

Limnophila rugosa, 67

Linociera ramiflora, 59

Linum nutans, 22

Liparis elegans, 105

List of seeds of ligneous and herbaceous plants collected in 1925 and 1926 by J. F. Rock and distributed by the Arnold Arboretum, 43

Lithospermum officinale, 30

Litsea, sp., 60

Lloydia tibetica lutescens, 6

-- purpurascens, 6

Lobaria pulmonaria hypomela, 1

Macleaya microcarpa, 14, 426

Maesa banksiana, 58

- myrsinoides, 240

— sp., 235

Magnoliales, Chromosome number and relationship in the, 376, pl. 80, figs.

Malaxis lunata, 104

Malcolmia africana, 17

Mallotus Cavaleriei, 234

- Esquirolii, 233

- Esquirolii, 233

- Leveillanus, 232

- Leveillei, 233

— Milliettii, 233

— philippinensis, 233

Malus baccata himalaica, 207

-hupehensis, 207

—— rosea, 208

-Rockii, 206

- theifera, 207

— - rosea, 208

Mapania macrocephala, 65

Marrubium incisum, 31

McKelvey, Susan Delano and Sax, Karl, Taxonomic and cytological re-

lationships of Yucca and Agave, 76,

pl. 55

Meconopsis integrifolia, 14

- psilonomma, 14

- punicea, 14, 426

- quintuplinervia, 14

- racemosa, 15

-- forma, 426

- sp., 15, 426

Medicago ruthenica, 21

Megacarpaea Delavayi, 16

- grandiflora, 10

Melandryum apetalum, 9

-- forma, 9

- glandulosum, 9

Melia Azedarach, 55

Mercurialis acanthocarpa, 232

Microglossa volubils, 65

Microrhamnus Taquetii, 249

Microstylis lunata, 104

Microula Rockii, 30

- sikkimensis, 30

- tangutica, 30

Mimulus nepalensis 32

Morina betonicoides, 36

- chinensis, 36

Morus calva, 237

— Mairei, 234

Mucuna pruriens, 63

Musa sp., 66

Mycorrhizae with Pinus Strobus L., Some Hymenomycetes forming, 324,

pl. 68-71

Mycorrhizal and other features of the root systems of Pinus, 85, pl. 57-60,

figs.

Myosotis alpestris var., 30

Myrica Darrisii, 232

Myristica inutilis, !9

— sp., 63

Myrica Darrisii, 232

- Feddei, 240

Nardostachys Jatarnansi, 36

Nepeta coerulescens major, 30

- macrantha, 31

Nertera depressa papuana, 67

Nervilia sp., 102

New Hebrides and Santa Cruz Islands, Additional notes on the Orchids of the, 101

New Hebrides, Contribution to the flora of the, plants collected by S. F. Kajewski in 1928 and 1929; Supplement, 53

New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum, 199, figs., 345, pl. 74

Notes on the distribution of White Spruce and Banksian Pine in northwestern Canada, 335, pl. 72, 73

Notes on the genus Pinus. The black cone of Pinus ponderosa, 258

Notes on the ligneous plants described by Léveillé from eastern Asia, 223

Notholaena Delavayi, 2

Nucleolus in plants, Origin and behavior of the, 282, pl. 64-67

Oak species hybrid, Inheritance in an, 68, figs.

Oberonia diura, 66

— glandulosa, 105

-sp., 105

Orchids of the New Hebrides and Santa Cruz Islands, Additional notes on the, 101

Orchis chusua, 7

-salina, 7

- spathulata, 7

Oreorchis Rockii, 8

Origin and behavior of the nucleolus in plants, 282, pl. 64-67

Orixa japonica, 224

Ormocarpum cochinchinense, 57

- sennoides, 57

Orthosiphon stamineus, 67

Oxygraphis glacialis, 13

Oxytropis sp., 21

Pachysandra axillaris Kouytchensis, 235

- Bodinieri, 235

- Mairei, 235

- stylosa, 235

Paeonia anomala, 10

- Veitchii, 10

Papua (British New Guinea) in 1925-26 by L. J. Brass, A supplement to C. T. White, Ligneous plants collected in the territory of, 62

Paraquilegia anemonoides, 10

Paratrophis tahitensis, 61

Paris polyphylla, 7

Parnassia Delavayi, 19

- setchuenensis, 19

Parrya villosa, 18

-- albiflora, 18

Pathological Laboratory, The Arnold Arboretum during the fiscal year ended June 30, 1933, 408

Pedicularis alaschanica, 32

- anas var., 32

- armata, 32

-- cheilanthifolia, 32

—— isochila, 32

- chenocephala, 33

—— forma, 33

— chinensis, 33

- cranolopha, 33

—— longicornuta, 33

— cristata, 33

— Davidi, 33

— decorissima, 33

- ingens, 33

- kansuensis, 33

— labellata, 33

— lasiophrys, 33

-- sinica, 33

— longiflora, 33

macrosiphon, 33muscicola, 34

- pilostachya, 34

— phostachya

— plicata, 35

— Przewalskii, 34 — recurva, 34

- rudis, 34

-scolopax, 34

- semitorta, 34, 426

-striata poliocalyx, 34

- szetschuanica, 34

—— longispica, 34

-torta, 34

- tristis macrantha, 34

- versicolor, 34

- sp., 35, 426

Peganum Harmala, 22
Peltigera aphthosa, 1
Pentace Virginis, 252
Petasites tricholobus, 39
Phajus amboinensis, 111
Phlomis rotata, 31

— umbrosa, 31 Phragmites communis, 4 Phreatia calcarata, 111

Phrynium macrocephalum, 66

- pedunculatum, 66

Phyllanthodendron Cavaleriei, 230

— Dunnianum, 230 — hypoglaucum, 230

- sp., 233

Phyllanthus Argyi, 230

— Dunnianus, 230 — emblica, 230

- Franchetiana, 230

— Mairei, 230 — sp., 231

Pinguicula alpina, 35

Pinus, Mycorrhizal and other features of the root systems of, 85, pl. 57-60, figs.

Pinus ponderosa, Notes on the genus Pinus. The black cone of, 258

Pinus Strobus L., Some Hymenomycetes forming mycorrhizae with, 324, pl. 68-71

Pirus communis, 207

— hupehensis, 207

Pistacia chinensis, 238

Pithecolobium umbellatum, 63

-sp., 63

Pittosporum naruaiao, 53

Platanus and Campsis, Species hybrids, in, 274, figs.

Platylepis Morrisonii, 103 Pleurospermum Candollii, 24

— cnidiifolium, 24
— Dielsianum, 24
— Dielsianum, 24
— Franchetianum, 24
— linearilobum, 24
— Pilgerianum, 24

- pseudo-involucratum, 24

- Rockii, 24

— thalictrifolium, 24

Pleurospermum sp., 24

Poa arctica, 4
— attenuata, 4
— bulbosa, 4
— flexuosa, 4

- sphondylodes, 4

-sp., 4

Podophyllum emodi, 14

Polemonium coeruleum vulgare, 29

Pollia macrophylla, 55 Polygala sibirica, 22 Polygonatum bulbos m, 6

— sibiricum, 6

 $-\mathrm{sp.}$ , 6

Polygonum Hookeri, 8
— sphaerostachyum 7ar., 9
Polypodium clathratum, 2

— eilophyllum, 2 — lineare, 3

—— var., 3

Polystichum Braunii, 2

— molliculum, 2 Pometia pinnata, 56 Potentilla Anserina, !0

biflora, 20
bifurca, 20
multicaulis, 20
Potaninii, 20
Salesoviana, 20

— Saundersiana, 20— sericea, 20

- sp., 20

Precipitin reaction in plants, Studies on the, III. A biochemical analysis of the normal precipitin reaction, 118, figs.

Precipitin reaction in plants, Studies on the, V. Application to plant relationships, 394

Prenanthes sp., 43
Primula aerinantha, !!5

alsophila, 25
chionantha, 25
forma, 26
var., 26
conspersa, 26
flava, 26

— gemmifera, 26 — graminifolia, 26 Primula limbata, 26

- longipetiolata, 26

- moupinensis, 26

- optata, 26

—— forma, 26

- polyneura, 26

— pumilio, 26

- Purdomii, 26

- reginella, 27

— sibirica, 27

- sikkimensis, 27

- stenocalyx, 27

— tangutica, 27

— Woodwardii, 27

- sp., 27

Prunus angustifolia varians gracilis, 208

— gracilis X P. angustifolia varians, 208

- Slavinii, 208

Psychotria polyneura, 65

- sp., 58

Pteretis Struthiopteris, 1

Pueraria novoguineensis, 63

Pulsatilla ambigua, 13

-- sp., 13

Pycnarrhena sp., 53

Pyrola rotundifolia, 25

Pyrus baccata, 207

- spectabilis, 207

- theifera, 207

—— rosea, 208

Quercus Comptonae, 68

— lyrata × virginiana, 68

— virginiana X lyrata, 68

Ranunculus acris, 13

— affinis, 13

—— flabellatus, 13

—— tanguticus, 13

— Flammula, 13

- japonicus, 13

- pulchellus, 13

—— sericeus, 13

— yunnanensis, 13

RAUP, HUGH M., Notes on the distribution of White Spruce and Banksian Pine in northwestern Canada, 335,

pl. 72, 73

REHDER, ALFRED, A supplement to

C. T. White, Ligneous plants collected in the territory of Papua (British New Guinea) in 1925-26 by L. J. Brass, 62

-, New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum, 199, figs., 345, pl. 74

-, Notes on the ligneous plants described by Léveillé from eastern Asia, 223

-, and Kobuski, Clarence E., An enumeration of the herbaceous plants collected by J. F. Rock for the Arnold Arboretum, 1

---, List of seeds of ligneous and herbaceous plants collected in 1925 and 1926 by J. F. Rock and distributed by the Arnold Arboretum, 43

Remirea maritima, 65

Rhamnus crenata discolor, 347

- crenatus, 348

- hypochrysus, 348

- utilis glabra, 349

-- hypochrysa, 348

Rhaphidophora novo-guineensis, 65, 426

Rheum acuminatum, 8

— palmatum, 8

- pumilum, 8

- spiciforme, 8

Rhus Argyi, 238

— Blinii, 227

— Bodinieri, 238

-echinocarpa, 238, 239

- Esquirolii, 238

- gummifera, 238

— Mairei, 238

— punjabensis sinica, 238

- trichocarpa, 239

Rock, J. F., for the Arnold Arboretum, An enumeration of the herbaceous plants collected by, 1

-, List of seeds of ligneous and herbaceous plants collected by, and distributed by the Arnold Arboretum, 43

Sabia Cavaleriei, 225

- Feddei, 224

Salacia aneityensis, 55

Salvia Prattii, 31

- Przewalskii, 31

- Roborowskii, 31

Sanguisorba, canadensis, 20

- officinalis, 20

Santa Cruz Islands and New Hebrides, Additional notes on the Orchids of the, 101

Sapium rotundifolium, 234

Sarcococca Hookeriana humilis, 235

Saurauja Vanioti, 249 Saussurea amara, 41

- apus, 41

- arenaria, 41

- Giraldii, 41

- hypsipeta, 41

- medusa, 41

- nigrescens, 42

- phaeantha, 42

- polystichoides, 42

- poophylla, 42

- pygmaea var., 42

-stella, 42

- Thoroldi, 42

-- sp., 42

SAX, HALLY JOLIVETTE and SAX, KARL, Chromosome number and morphology in the Conifers, 356, pl. 75-79; figs.

SAX, KARL, Chromosome behavior in Calycanthus, 279, figs.

- Chromosome numbers in Ulmus and related genera, 82, pl. 56

- Species hybrids in Platanus and Campsis, 274, figs.

— and McKelvey, Susan Delano, Taxonomic and cytological relationships of Yucca and Agave, 76, pl. 55

— and Sax, Hally Jolivette, Chromosome number and morphology in the Conifers, 356, pl. 75-79, figs.

Saxifraga confertifolia, 18

- diversifolia Soulieana, 18

-- var., 18

- flagrans platyphylla, 18

- Giraldiana, 19

- kansuensis, 19

-lumpuensis, 19

- melanocentra Franchetiana, 19

Saxifraga melanocentra pluriflora, 19

—— var., 19

- montana splendens, 19

- Przewalskii, 19

- pseudo-hircus, 19

- tangutica, 19

- unguiculata, 19

Schismatoglottis calyptrata, 65

Scorzonera austriacu, 42

Scrofella chinensis, 32

Scrophularia incisa, 32

Scutellaria amoena, 30

- Rehderiana, 30

- scordiifolia pubescens, 30

Securinega fluggeoicles, 230

- ramiflora, 230

- suffruticosa, 229

Sedum Aizoon, 18

-- scabrum, 18

- algidum, 18

—— tanguticum, 13

- Henryi gracilis, 1.8

- Kirilowi, 18

- progressum, 18

— Purdomii, 18

— quadrifidum, 18

— venustum, 18

— sp., 18

Selaginella sp., 3

Senecio acerifolius, 39

- argunensis, 39

- campestris, 40

— deltophylla, 39

- nemorensis, 40

- plantaginifolia, 4)

— Potanini, 39

- sagitta, 40

-tangutica, 40

-thianshanicus, 40

- virgaurea, 40

-sp., 40

Serratula centauroides, 39

SHAW, GEORGE RUSSELL, Notes on the genus Pinus. The black cone of Pinus

ponderosa, 258

Silene Fortunei, 9

- repens, 9

- tenuis, 9

Siphonodon sp., 63

Solanum septemlobum, 32

-sp., 67

Some Hymenomycetes forming mycorrhizae with Pinus Strobus L., 324, pl. 68-71

Sophora alopecuroides, 20

Souliea vaginata, 10

Species hybrids in Platanus and Campsis, 274, figs.

Speranskia cantonensis, 232

-tonkinensis, 232

Spiraea siccanea, 205

- sinobrahuica, 203

—— aridicola, 203

- tortuosa, 205

- yunnanensis, 203

—— siccanea, 205

—— tortuosa, 205

Spondias axillaris, 237

- dulcis, 57

Stachys baicalensis, 31

- Sieboldii, 426

Staphylea, Chromosome number in Acer and, 386, pl. 81

Statice bicolor, 28

Stellera Chamaejasme, 23

Sterculia Bodinieri, 231

Stereosanthus Souliei, 39

Sticta Henryana, 1

Stipa conferta, 3

- mongholica, 3

- splendens, 3

Strobilanthes novomegapolitanus, 67

-sp., 67

Studies on the precipitin reaction in plants. III. A biochemical analysis of the normal precipitin reaction, 118, figs.

Studies on the precipitin reaction in plants. V. Application to plant relationships, 394

Styrax Esquirolii, 202

Supplement to C. T. White, Ligneous plants collected in the territory of Papua (British New Guinea) in 1925-26 by L. J. Brass, A, 62

Swertia sp., 29

Symplocos tetramera, 345

Tacca pinnatifida, 66

Tanacetum tenuifolium, 39

Tapeinochilus sp., 66

Taraxacum mongolicum, 43

Taxonomic and cytological relationships of Yucca and Agave, 76, pl. 55

Thalictrum alpinum, 13

— baicalense, 13

- javanicum, 13

- Przewalskii, 14

Thermopsis alpina, 21

- lanceolata, 21

Thrixspermum sp., 112

Thymus Serpyllum mongolicus, 31

Tiarella polyphylla, 19

Toddalia asiatica, 226

Tongoloa elata, 25

Torresia odorata, 3

Torularia humilis, 17

-- grandiflora, 17

—— Piasezkii, 17

Tragia involucrata, 234

Tribulus terrestris, 22

Triglochin maritimum, 3

Triosteum pinnatifidum, 35

Tripterygium hypoglaucum, 252

Trisetum spicatum, 3

-sp., 4

Trollius pumilus, 10

-- alpinus, 10

Ulmus and related genera, Chromo-

some numbers in, 82, pl. 56

Urophysa Rockii, 10

Urtica dioica, 8

Valeriana pseudodioica, 36

— tangutica, 36

- sp., 36

Variation in flower color in Hamamelis vernalis, 253, fig.

Vernonia cinerea, 67

- lanceolata, 67

Veronica ciliata, 32

VESTAL, P. A., CHESTER, K. S. and Abbe, E. C., Studies on the precipitin reaction in plants. V. Application to plant relationships, 394

Vestured Pits in dicotyledons, The cambium and its derivative tissues. No. VIII. Structure, distribution, and diagnostic significance of, 259, pl. 61-

63, figs.

Vicia amoena elliptica, 22

-cracca, 22

- unijuga, 22

—— var., 22

Viola biflora, 23

- bulbosa, 23

- mongholica var., 23

Vrydagzynea Cheesemanii, 103

Webera Marchandii, 234

Wedelia biflora, 67

- spilanthoides, 67

WHITAKER, THOMAS W., Chromosome number and relationship in the Magnoliales, 376, pl. 80, figs.

-, The chromosome complement of Cyphomandra betacea, 113, figs.

—, and CHESTER, KENNETH S., Studies on the precipitin reaction in plants. III. A biochemical analysis of the "Normal Precipitin reaction," 118, figs.

White, C. T., Ligneous plants collected in the territory of Papua (British New Guinea) in 1925-26 by L. J. Brass, A supplement to, 62 White Spruce and Banksian Pine in northwestern Canada, Notes on the distribution of, 335, pl. 72, 73

Woodsia lanosa, 1

- macrospora, 1

Ximenia americana, 55

Xylanche himalaica, 35

Xylosma lifuana, 53

— sp., 53

YARNELL, S. H., Inheritance in an oak species hybrid, 68, figs.

Yucca and Agave, Taxon mic and cytological relationships of, 76, pl. 55

Zanthoxylum Argyi, 223

- Bodinieri, 224

- Bungei, 223

— Chaffanjoni, 223

- dissitum, 224

- Esquirolii, 223

— giganteum, 224

- odoratum, 224

- oxyphyllum, 223

- simulans, 223

-stenophyllum, 223

Zeuxine Erimae, 103

Zygophyllum mucronatum, 22